



ALC

SNOWBOARD/PLATE/BINDING
2025-2026 COLLECTION

This catalog was created for event purposes, and prices and product details may be subject to change.
For more information, please contact info@alc-snow.jp

Avail Co., Ltd.
2515-5 Mitakedo, Ueda City,
Nagano Prefecture, 386-0412,
Japan
Website: <https://alc-snow.jp>

Product specifications and design are subject to change without prior notice.

The colors of the products shown may differ from the actual colors due to printing limitations.

Rider: Junya Yamamoto
(ALC Factory Rider and Designer)

CH7W_{for AGS}

The CH7 features a structure similar to the RC15, connecting two main plates with carbon shafts. However, it introduces a sliding tip block, significantly improving vibration absorption. Additionally, the inclusion of side arms creates a more integrated feel, resembling a one-piece plate. The flex can be adjusted by changing the number and position of the shafts. The CH7 comes with five 390mm carbon shafts, with a minimum of three required for durability. Additional shafts can be purchased to increase flex stiffness. Thanks to its exceptional stability across all speed ranges and consistent handling characteristics, the CH7 is well-suited for both slalom and giant slalom competitions.

■ SPECIFICATIONS

WIDTH	186mm
HOLE PATTERN	ALLFLEX HOLE
WEIGHT	2600g
COLOR	BLACK / SILVER / PINK (25-26 limited)

◆ Carbon Shaft for CH7 (1 piece)

SIZE 12mm×390mm



CH7-W PINK



CH7-W SILVER

RC15 W_{(AGS)/N_(ASL)}

The RC15 is a hybrid plate combining an aluminum machined plate with a carbon shaft. This plate features ALC's unique structure, where the front and rear plates, which have been lightweighted through high-precision machining, are linked by a carbon shaft. The plate is fixed only on the outside of the ALLFLEX holes, allowing the flex to be adjusted by changing the number of shafts and the torsion to be modified by altering the configuration. The plate itself is relatively easy to twist, making it easier to perform board twisting movements. By using the included stabilizer, it is also possible to increase the tension around the feet for a stronger feel.

■ SPECIFICATIONS

WIDTH	W(wide)=180mm / N(narrow)=164mm
HOLE PATTERN	ALLFLEX HOLE + ALC ORIGINAL HOLE
WEIGHT	W=1910g / N=1810g
COLOR	BLACK / SILVER / PINK (25-26 limited)

◆ Carbon Shaft for RC15 (1 piece)

SIZE	12mm×390mm (for ALLFLEX hole)
	12mm×350mm (for ALC BOARD)
	12mm×310mm (for ALC BOARD)



◆ Stabilizer for RC15

SIZE	W (AGS hole) / N (ASL hole)
COLOR	BLACK / SILVER / RED PINK / LIMEGREEN

※Includes two dedicated pan-head screws (M6×10mm) and two spring washers.



*Prices are subject to change based on exchange rates. Please contact us for the latest pricing.

ALC BINDING 64

COLOR BLACK / SILVER / PINK (Limited)
SIZE S / M

The ALC binding adopts a multi-cant system, allowing for a wide range of settings by simply removing the center bolt. By combining metal and plastic parts, it achieves a balance between a mechanical, rigid feel and flexibility. The metal clip and slim base plate from the existing model (ALC BINDING 63) are carried over. Additionally, the upper plate cap set, which prevents snow from entering through the holes in the upper plate, is available as an optional accessory. All parts are available for individual sale, but it is recommended to regularly replace the toe and heel bail due to potential metal fatigue, which may cause breakage after 2-3 years of use (the cycle may vary depending on annual usage and conditions).



ALC-BN-64M-SLV

◆Metal Clip (1 piece)

COLOR BLACK / SILVER
Includes a bail retainer, fixing screws, and adjustment screws.



◆Resin Clip (1 piece)

COLOR BLACK / SILVER
The main body color is black. The cap section is available in black or silver.



◆Slim Base Plate Set

COLOR BLACK
A slim base plate set with a thickness of 6mm (5mm thinner than the standard version). Includes two plates and eight dedicated flat-head screws (M6×18mm).



◆Upper Plate Cap Set (For both feet)

COLOR BLACK / GRAY / CLEAR RED
CLEAR BLUE / CLEAR YELLOW
Insert and attach it from the surface of the upper plate.



■Size Selection Based on Boot Shell Size (Recommended)

	UPZ	Mountain Slope	DEELUXE TRACK700	DEELUXE TRACK425/325
S size	279/287mm	A/B shell	269/279mm	253/261 269/277mm
M size	299/312mm	C shell	289/299 309/319mm	285/295 303/313mm

※We do not recommend UPZ MOON PARTS, SKI ADAPTER, or TOURING ADAPTER.

■ALC Binding Setup Tutorial Video (Japanese)

The official ALC website features a binding setup tutorial video. It provides a clear explanation of the Multi-Cant System and other key aspects, making it easy to understand even for first-time ALC binding users. (You can also watch it by scanning the QR code on the right.)



◆Toe Bail (1 piece)



◆Heel Bail (1 piece)



◆Block Rubber (4-piece set)



*Prices are subject to change based on exchange rates. Please contact us for the latest pricing.